

To: Cooper, TiffanyD[Cooper.TiffanyD@epa.gov]
Cc: Haye, Kellee[haye.kellee@epa.gov]; Esposito, Karen[esposito.karen@epa.gov]; Blackwell, Kecia[Blackwell.Kecia@epa.gov]; Wagner, Christine[Wagner.Christine@epa.gov]
From: Nonresponsive based on revised scope @tetrattech.com]
Sent: Fri 12/2/2022 4:56:03 PM (UTC)
Subject: RE: TD: Shiloh Church Road Assessment - 03 - Accept (Close Out)
wagner-shilohchurchrd-ASSESSMENT-03.pdf



Tiffany,

Tetra Tech has received and reviewed the Close Out TD for Shiloh Church Road Removal Assessment Support.

Thank you!

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

    Please consider the environment before printing. [Read more](#)



From: Cooper, TiffanyD <Cooper.TiffanyD@epa.gov>
Sent: Thursday, December 1, 2022 3:56 PM
To: Nonresponsive based on revised scope @tetrattech.com>; Nonresponsive based on revised scope @tetrattech.com>
Cc: Haye, Kellee <haye.kellee@epa.gov>; Esposito, Karen <esposito.karen@epa.gov>; Blackwell, Kecia <Blackwell.Kecia@epa.gov>; Wagner, Christine <Wagner.Christine@epa.gov>
Subject: TD: Shiloh Church Road Assessment - 03

 **CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. 

Good Afternoon,

Please attached the signed TD for the following site:

Shiloh Church Road Assessment

Best Regards,



Tiffany D. Cooper, she/her/hers
Contract Specialist/Contracting Officer
US EPA Mid-Atlantic Region
Phone 215-814-5328
Email cooper.tiffanyd@epa.gov



“If you think you are leading and no one is following, then you are just taking a walk.” ~ John Maxwell